V6 & V8 ENGINES

VE and WM Series II Service/Warranty Booklet

This supplement provides warranty information and service schedule including coupons for VE and WM series models fitted with V6 and V8 engines.

This supplement should be kept, together with the Owner's Handbook, in the glovebox of your vehicle.

Vehicle identification certificate

Owner's name

Owner's address

Town State Postcode

Vehicle Identification Number (17 character ISOVIN)

Model name

Tyre size fitted Wheel size fitted

Registration number Engine number

Odometer reading

Date of purchase

Selling retailer's stamp and signature

Capped Price Servicing	Circle as applicable		CPS Program Code
	Yes	**No**	

GM Holden Ltd, ABN 84 006 893 232 (hereinafter Holden)

Change of name, address or ownership

In the event of a Safety Recall, or for various reasons, Holden may need to contact you as the owner of this vehicle.

If you have recently changed your address, or name, or purchased this vehicle second-hand, please help us to help you by taking a few minutes to fill in and mail the forms at the beginning of this handbook.

For information about GM Holden's privacy policy or to update owner details online, please visit Holden's website at www.holden.com.au

Printed in Australia
Part No. 92263052
November 2012 (MY12.5 V6 & V8 engines. Print 2)

© 2012 GM Holden Ltd
Reproduction in whole or part is prohibited without written approval from GM Holden Ltd, ABN 84 006 893 232

V6 and V8 engines

Page

Change of address or ownership forms

Vehicle warranty information 1

Servicing 8

Service intervals 11

Maintenance schedule 12

Service charges 20

Additional service requirements 21

Service coupons 27

* The asterisk signifies equipment options not in all vehicles, model variants, engine options, optional equipment and Genuine Holden Accessories (and Parts).

CHANGE OF ADDRESS OR OWNERSHIP

Please fill in the form below if you have changed your name, address, bought the vehicle second-hand, or have become the new driver.

Holden requires these details in order to contact the operator in the event of a safety recall and to keep the Roadside Assistance details up to date. For information about Holden's privacy policy or to update owner details online, please visit Holden's website at www.holden.com.au.

Please mail to the address on the back of this page.

Please tick the appropriate box

☐ Original owner ☐ Subsequent owner

Please tell us where you purchased your Holden

☐ Government auction ☐ Private sale ☐ Other

☐ Dealership (please specify) _____

Title
(Mr, Mrs, Miss, Ms, etc.)

First name in full or initials

Surname or name of company/institution/government department

Address
Street/box

City/town

State Postcode

1st contact phone no.

2nd contact phone no.

Email address

_____

Vehicle registration no.

ISOVIN no. (refer to Technical data in the Owner Handbook)

Place in an envelope and mail to:

The Manager – Warranty Administration,
Service Department,
GM Holden Ltd.
Box 548, G.P.O.
Melbourne,
Victoria 3001,
Australia.

CHANGE OF ADDRESS OR OWNERSHIP

Please fill in the form below if you have changed your name, address, bought the vehicle second-hand, or have become the new driver.

Holden requires these details in order to contact the operator in the event of a safety recall and to keep the Roadside Assistance details up to date. For information about Holden's privacy policy or to update owner details online, please visit Holden's website at www.holden.com.au.

Please mail to the address on the back of this page.

Please tick the appropriate box

☐ Original owner ☐ Subsequent owner

Please tell us where you purchased your Holden

☐ Government auction ☐ Private sale ☐ Other

☐ Dealership (please specify) _____

Title
(Mr, Mrs, Miss, Ms, etc.)

First name in full or initials

Surname or name of company/institution/government department

Address
Street/box

City/town

State Postcode

1st contact phone no.

2nd contact phone no.

Email address

_____

Vehicle registration no.

ISOVIN no. (refer to Technical data in the Owner Handbook)

Place in an envelope and mail to:

The Manager – Warranty Administration,
Service Department,
GM Holden Ltd.
Box 548, G.P.O.
Melbourne,
Victoria 3001,
Australia.

CHANGE OF ADDRESS OR OWNERSHIP

Please fill in the form below if you have changed your name, address, bought the vehicle second-hand, or have become the new driver.

Holden requires these details in order to contact the operator in the event of a safety recall and to keep the Roadside Assistance details up to date. For information about Holden's privacy policy or to update owner details online, please visit Holden's website at www.holden.com.au.

Please mail to the address on the back of this page.

Please tick the appropriate box

☐ Original owner ☐ Subsequent owner

Please tell us where you purchased your Holden

☐ Government auction ☐ Private sale ☐ Other

☐ Dealership (please specify) _____

Title
(Mr, Mrs, Miss, Ms, etc.)

First name in full or initials

Surname or name of company/institution/government department

Address
Street/box

City/town

State Postcode

1st contact phone no.

2nd contact phone no.

Email address

_____

Vehicle registration no.

ISOVIN no. (refer to Technical data in the Owner Handbook)

Place in an envelope and mail to:

The Manager – Warranty Administration,
Service Department,
GM Holden Ltd.
Box 548, G.P.O.
Melbourne,
Victoria 3001,
Australia.

NEW VEHICLE VOLUNTARY WARRANTY CERTIFICATE



New Vehicle Voluntary Warranty Application

This Voluntary Warranty is given by GM Holden Ltd., ABN 84 006 893 232, ('Holden') 191 Salmon St, Port Melbourne Victoria 3207. Holden Customer Assistance: 1800 033 349. The Voluntary Warranty applies to the vehicle identified on the inside front cover of this service booklet. It is provided to the original and subsequent owners/operators driving the vehicle within Australia during the Voluntary Warranty Period.

The benefits conferred by this Voluntary Warranty are in addition to other rights and remedies available to you under consumer protection laws (including those under the *Competition and Consumer Act 2010*), which cannot be excluded or limited (referred to as Statutory Rights). This Voluntary Warranty in no way limits or restricts your rights or remedies under such Statutory Rights.

Australian vehicles

This Voluntary Warranty is only applicable to vehicles purchased and operated in Australia.

This Voluntary Warranty does not apply for Holden vehicles exported or operated outside Australia. Similarly, this Voluntary Warranty is not provided for Holden vehicles purchased overseas and imported into Australia.

Voluntary Warranty repairs covered

Subject to your non-excludable Statutory Rights and the exclusions shown on the following page, this Voluntary Warranty covers the correction, of any manufacturing defect to materials or Holden workmanship and advised to a Holden Dealer or Authorised Service Outlet, by repair or at Holden's option by replacement.

Voluntary Warranty period

The coverage under this Voluntary Warranty commences from the date of first registration (or in the case of a demonstrator vehicle the date when the vehicle was first placed into service by the Dealer). This coverage expires at the end of the period of 3 years after the commencement date or after the vehicle has travelled 100,000 kilometres, whichever occurs first.

NEW VEHICLE VOLUNTARY WARRANTY CERTIFICATE cont.

No charge

Warranty work performed under this Voluntary Warranty (including parts and labour) will be carried out at no cost to the vehicle owner. However, this work should not be confused with servicing specified in the Maintenance schedule in this service booklet for which a charge is payable.

Statutory Rights

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

NEW VEHICLE VOLUNTARY WARRANTY CERTIFICATE cont.

VOLUNTARY WARRANTY EXCLUSIONS

Damage

Your Voluntary Warranty does not extend to the following damage: damage caused by an accident, fire, theft or moving objects striking the vehicle (including inside the vehicle); damage as a result of towing; damage caused by industrial fallout, chemicals or sealants; damage caused by atmospheric fallout or flood, hail, salt, etc.



Maintenance items

Your Voluntary Warranty does not extend to services such as brake adjustment, brake replacement, replacement of filters, wiper rubbers etc., which are required as part of normal vehicle maintenance (refer to the service matrix in this booklet).

Tyres

The tyres fitted to your vehicle are not covered by this Voluntary Warranty. However, they may be covered by the tyre manufacturer or under your non-excludable Statutory Rights.

Batteries and bulbs

Batteries and bulbs are warranted for 12 months under this Voluntary Warranty.



Misuse

This Voluntary Warranty does not cover damage caused by:

(a) misuse or abuse of the vehicle such as by racing, rallying, overloading, etc., or neglect,

(b) operation of the vehicle after the defect is known,

(c) failure to carry out proper maintenance services (refer to the service matrix in this booklet),

(d) use of incorrect types and grades of fuel, oil or lubricants,

(e) alteration or modifications of the vehicle by anyone not authorised by Holden,

(f) fitting of parts or accessories not recommended by Holden,

(g) any work carried out on the vehicle by anyone except an Authorised Holden Dealer or Authorised Service Outlet.

VOLUNTARY WARRANTY QUESTIONS AND ANSWERS

This section is designed to assist you to understand the Holden Voluntary Warranty provided with your new vehicle which is in addition to your Statutory Rights which cannot be excluded, limited or restricted by this Voluntary Warranty.

The following are some of the most frequently asked questions for which detailed answers are provided.

Q 1. How do I go about obtaining Holden Voluntary Warranty service?

It is the responsibility of the Selling Dealer to provide Holden Voluntary Warranty service, therefore, you should take your vehicle to the Selling Dealer whenever Holden Voluntary Warranty service is needed. However, if this is not possible, you may go to any other Authorised Holden Dealer. The details recorded inside the front cover of this service booklet will be required by the Dealer.

Q 2. What should I do if my vehicle becomes unsafe or inoperative as a result of a defect which is covered by the Holden New Vehicle Voluntary Warranty?

You should contact the nearest Authorised Holden Dealer or Holden Roadside Assistance as soon as possible, and arrange for that Dealer to carry out the required Holden Voluntary Warranty Service.

Q 3. What should I do if, in an emergency, Holden Voluntary Warranty Service is required and an Authorised Holden Dealer is not available to provide such service at the time?

Subject to your Statutory Rights, if, in an emergency, a repair, replacement or adjustment (covered by the Holden New Vehicle Voluntary Warranty) is required to enable your vehicle to be operated safely and it is not practical for you to go to an Authorised Holden Dealer, the service (to the extent that it is necessary to enable your vehicle to be operated safely) may be performed by any other qualified mechanic or repairer. A claim for the reasonable cost may be made under the Holden Warranty through the Authorised Holden Dealer who would normally provide you with Holden Voluntary Warranty service. You must also take your vehicle to the Authorised Holden Dealer for inspection of the service and/or completion of any required Holden Voluntary Warranty service, as soon as possible.

Note During normal business hours, you should seek authorisation from your nearest Authorised Holden Dealer or Holden Customer Assistance Service, prior to repairs under your Voluntary Warranty being commenced.

VOLUNTARY WARRANTY QUESTIONS AND ANSWERS cont.

Q 4. Are damage or injury, loss of time, inconvenience, commercial or other direct or indirect loss covered by the Holden Voluntary Warranty?

No, these items are not covered under the Holden Voluntary Warranty. Holden Voluntary Warranty only covers the repair, replacement or adjustment of those parts of your vehicle which are found to be defective in materials or workmanship. No other types of claim for compensation of any kind, even if the same resulted from a consequence of a defect in materials or workmanship in your vehicle, will be recognised under the Holden New Vehicle Voluntary Warranty.

You may have rights under your non-excludable Statutory Rights to claim compensation or other remedies outside of the Holden New Vehicle Voluntary Warranty, but any claim based on those rights should be separately pursued.

VOLUNTARY WARRANTY QUESTIONS AND ANSWERS cont.

Q 5. Will I have to pay for maintenance costs during the Voluntary Warranty Period?

Maintenance costs are not covered by the Holden New Vehicle Voluntary Warranty. The Maintenance schedules in this service booklet specify the minimum maintenance required for your vehicle operating under normal conditions.

Subject to your Statutory Rights, the Maintenance items (except where they are required as a result of defects in materials or workmanship) for which you will have to pay include:

- Engine tune-up, including spark plugs replacement.
- Replacement of all filters, engine and other belts, hoses (including LPG hoses) wiper blades and clutch linings.
- Cleaning or flushing of fuel, coolant, brake, engine, transmission, power steering etc., after 3,000 km.
- Carbon and sludge removal.
- Maintenance servicing of emission control system devices.
- Adding to (or replacing) lubricants.
- Adding to (or replacing) air conditioning refrigerant, after 3,000 km.
- Any necessary adjustments to drive belts, transmission, clutch, park brake etc.
- Wheel balancing – after 3,000 km.
- Wheel alignment.
- De-dusting or de-glazing of brake linings or pads – after 3,000 km.
- Brake pad/lining wear or damaged brake components due to brake/pad lining wear.
- Clutch lining wear or damaged clutch components due to lining wear.
- Brake disc pad or disc wear.
- Battery recharging.
- Paint, bright metal finish and trim, due to normal deterioration.
- Body panel adjustment – after 3,000 km.
- Door, or bonnet lock adjustments.
- Glass or channel adjustments – after 3,000 km.
- Body rattle, squeaks and general tightening of bolts, fasteners and fittings – after 3,000 km.
- Chipped glass or breakage.
- Torn or damaged floor mats or carpets.
- Normal wear and tear to trim components.

VOLUNTARY WARRANTY QUESTIONS AND ANSWERS cont.

Q 6. Are my tyres covered by the Holden New Vehicle Voluntary Warranty?

No. The tyres fitted to your vehicle may be covered by a separate voluntary warranty provided by the tyre manufacturer or under your non-excludable Statutory Rights. Any Authorised Holden Dealer will assist you by discussing any queries which you might have with respect to the tyre manufacturer's voluntary warranty, with the tyre manufacturer's representative.

Q 7. Will I have to pay for any costs or expenses in connection with the provision of Holden Voluntary Warranty service?

All parts and labour used in carrying out Holden Voluntary Warranty service at the premises of the servicing Holden Dealer, are free of charge. Whenever Holden Voluntary Warranty service is to be carried out by the servicing Holden Dealer it is your responsibility to deliver your vehicle to the servicing Holden Dealer's premises.

If, as a result of a defect which is covered by the Holden New Vehicle Voluntary Warranty, your vehicle cannot be driven safely and you arrange for the nearest Authorised Holden Dealer to carry out the required Holden Voluntary Warranty service, Holden will accept reasonable towing costs to move your vehicle to the nearest Holden Dealer's premises. Before employing a towing company, contact the nearest Holden Dealer or Holden Roadside Assistance Service or Holden Customer Assistance Service to obtain guidance.

Q 8. Would my vehicle's engine benefit from fuel additives, oil additives or coolant additives not marketed by Holden?

The use of break-in oil, tune-up compounds, friction-reducing compounds and other supplemental additives is not recommended. Your vehicle has been designed, developed and tested by the manufacturer without the use of these additives. Any negative impact or consequences due to the use of additives may affect the validity of your New Vehicle Voluntary Warranty.

Only the fluids and lubricants referred to in the owners handbook should be used.

Unauthorised statements in relation to Holden products

No Holden Dealer or other person is authorised or permitted to give or make any statement, assertion or undertaking in relation to the quality, performance, characteristics, descriptions or fitness for any purpose of any Holden product or in connection with the supply of any Holden product, which is at variance with any written statement, assertion or undertaking on any of these subjects given or made by Holden in its published sales literature, and Holden does not accept any responsibility for such unauthorised action.

SERVICING

HoldenWise

HoldenWise Capped Price Servicing now makes owning a new Holden even more affordable*.

Within the first three years or 60,000 km (whichever occurs first) up to four standard scheduled log book services using Holden genuine parts and factory trained technicians are capped at a low price.

Most vehicles are eligible for HoldenWise Capped Price Servicing, however some exclusions do apply. For terms and conditions and vehicle eligibility on HoldenWise Capped Price Servicing please refer to holden.com.au or contact your Holden Dealer.

*HoldenWise Capped Price Servicing excludes Government, Rental and Not for Profit Fleet vehicles.

Additional service requirements are not included in HoldenWise Capped Price Servicing.

Distance/time based service intervals

The free first inspection is due at 3 months or 3,000 km (whichever occurs first).

The first service is due at 9 months or 15,000 km (whichever occurs first). Thereafter, at every 9 months or 15,000 km since the last service (whichever occurs first).

Additional services are required under certain driving conditions, such as when towing. Refer to *Additional service requirements* further on in this booklet.

The free first inspection

The 3,000 km inspection is performed free of charge by the Selling Dealer. A different Holden Dealer may perform this inspection if provided with a letter of authority or similar. The Selling Dealer may supply this authorisation upon request.

Determining the proper service interval

The operating conditions of your vehicle will determine the service interval. Use the **time** interval or the odometer reading, whichever occurs first, to determine when the service is due. It is important to remember that oils and fluids in your vehicle will deteriorate over time, therefore if your vehicle has not travelled the specified service interval distance, the vehicle **must** be serviced by time interval.

Under certain operating conditions, your Holden may require additional servicing to ensure maximum safety, performance and longevity.

The additional service requirements typically include more frequent replacement of lubricating oils for example, engine and transmission fluids and the more frequent inspection of steering, suspension and brake system components. For more information please refer to *Additional service requirements* further on in this booklet.

Your Holden Dealer will be able to determine the appropriate service requirements for your vehicle according to your operating conditions.

SERVICING cont.

Service coupons

Service coupons are provided at the end of this booklet. When each service is performed, the appropriate coupon is removed. This reveals the next coupon to remind you when the next service is due.

After each service, check that the service has been validated with the Dealer's stamp and signature on the coupon stub. This is important as it not only assists in the determination of voluntary warranty claims, but enhances the value of the vehicle when selling.

Service coupons are provided for each service up to the 210,000 km service. After that time, the Maintenance schedule further on in this booklet should be followed, commencing with the 45,000 km service.

Additional service requirements

If you are driving your vehicle outside of the normal driving operations, you may need to conduct additional servicing. A service coupon and criteria for these additional services can be found in the additional service requirements section of this booklet.

Your Holden Dealer

When it comes to service, remember that your Holden Dealer has the trained personnel and specialised equipment to correctly service your vehicle. Your Dealer invites you to return for all your service needs both during and after the Voluntary Warranty Period.

The safety, economy, emission control, performance and reliability of your vehicle cannot be assured unless regular maintenance is performed, preferably by factory-trained technicians at Holden Dealers.

Voluntary Warranty and service

Subject to your non-excludable Statutory Rights, all maintenance services listed in this handbook, and replacement of service items, are the responsibility of the owner and as such are NOT considered under the provisions of the New Vehicle Voluntary Warranty to be rectified of defective material and workmanship. Items such as wheel alignment, necessary adjustments to drive belts, transmission, clutch and parking brake or any other items which may require servicing due to fair wear and tear are carried out at the owner's cost.

Damage caused by failure to have proper maintenance services carried out in accordance with Holden's specifications may void your New Car Voluntary Warranty. As a result, it is strongly recommended that such services be carried out by an authorised Holden Dealer or Authorised Service Outlet and that you read the New Vehicle Voluntary Warranty section previously in this booklet, so that you are aware of the voluntary warranty exclusions.

SERVICING cont.

LPG service and maintenance

All service and repair work must be performed by a properly trained specialist. If the repair work involves opening the high-pressure LPG lines or associated components to the atmosphere, this should also be carried out by an authorised LPG technician and the work must be carried out to Australian Standard AS/NZS1425:2007.

State/Territory Regulations

Different states/territories may have additional service requirements. The additional work should be carried out and noted on the service coupons.

LPG Cylinder

The LPG cylinder must be removed and pressure tested by an authorised LPG cylinder test centre once every 10 years from the original test date stamped on a plate attached to the cylinder, in accordance with AS2337.2.

SERVICE INTERVALS

Service reminder message

A distance based service reminder message is built into the trip computer. The reminder message first appears 1,000 km before the service is due, giving you time to arrange for the service to be carried out. The message shows on the centre display for approximately 10 seconds whenever the ignition is switched on or off, until the trip computer is reset. When the service is overdue, the message flashes for approximately 10 seconds when the ignition is turned on or off.

It should be noted that the service reminder message applies only for regular distance based service intervals. This message is triggered by a distance calculation and does not calculate time or time from the last service. It is important to remember that whenever the vehicle has not travelled the specified service interval distance within 9 months from the last service, the vehicle must be serviced by time interval.

- **3,000 km service displays** when the vehicle has travelled 2,000 km since it was built.



- **15,000 km service displays** when the vehicle has travelled 14,000 km since it was built.



- **30,000 km service displays** when the vehicle has travelled 29,000 km since it was built.



The service reminder will be reset by your Holden Dealer when the vehicle is serviced.

Remember to consider additional service requirements based on time and driving conditions. Refer to *Additional service requirements* further on in this booklet.

MAINTENANCE SCHEDULE

x 1,000 km or	3	15	30	45	60	75	90	105
Cumulative months (whichever occurs first)	3	9	9	9	9	9	9	9
Under bonnet								
*Change engine oil and filter.	-	X	X	X	X	X	X	X
Check fluid levels: brake, power steering, clutch, auto transmission and washer. Check coolant % with tester and check level (pressure test if level is low).	X	X	X	X	X	X	X	X
Drive belts – inspect.	-	-	-	-	-	-	-	-
Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses and clamps.	X	X	X	X	X	X	X	X
*Drain and refill cooling system with recommended inhibitor and clean fresh water. Clean the outside of the radiator and A/C condenser.	Change required every 63 months or 240,000 km (whichever occurs first).							
Inspect air filter element.	-	X	X	-	X	X	-	X
*Replace air filter element.	-	-	-	X	-	-	X	-
Replace spark plugs V6.	-	-	-	-	-	-	-	-
Replace spark plugs V8.	-	-	-	-	-	-	-	-

Maintenance schedule continued next page.

*Items requiring additional servicing under some driving conditions.
Refer to *Additional service requirements* further on in this booklet.

MAINTENANCE SCHEDULE cont.

x 1,000 km or	120	135	150	165	180	195	210
Cumulative months (whichever occurs first)	9	9	9	9	9	9	9
Under bonnet							
*Change engine oil and filter.	X	X	X	X	X	X	X
Check fluid levels: brake, power steering, clutch, auto transmission and washer. Check coolant % with tester and check level (pressure test if level is low).	X	X	X	X	X	X	X
Drive belts – inspect.	-	-	-	X	X	X	X
Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses and clamps.	X	X	X	X	X	X	X
*Drain and refill cooling system with recommended inhibitor and clean fresh water. Clean the outside of the radiator and A/C condenser.	Change required every 63 months or 240,000 km (whichever occurs first).						
Inspect air filter element.	X	-	X	X	-	X	X
*Replace air filter element.	-	X	-	-	X	-	-
Replace spark plugs V6.	X	-	-	-	-	-	-
Replace spark plugs V8.	-	-	X	-	-	-	-

*Items requiring additional servicing under some driving conditions.
Refer to *Additional service requirements* further on in this booklet.

MAINTENANCE SCHEDULE cont.

x 1,000 km or	3	15	30	45	60	75	90	105
Cumulative months (whichever occurs first)	3	9	9	9	9	9	9	9
Under vehicle								
Replace fuel filter (in-tank type)(petrol).	Not required under normal driving conditions.							
Check final drive oil level.	-	-	-	X	-	-	X	-
Change final drive oil.	Not required under normal driving conditions.							
*Change auto trans fluid & filter.	-	-	-	-	-	-	-	-
Check final drive & auto trans for leaks.	X	X	X	X	X	X	X	X
Check manual transmission for leaks.	X	X	X	X	X	X	X	X
Inspect front & rear disc pads for wear & discs for surface condition.	-	X	X	X	X	X	X	X
*Check park brake linings & drums for wear.	-	-	-	X	-	-	X	-
*Inspect tyres for irregular wear or damage. (1) Rotate wheels (if required). Check air pressures & for wheel damage. Check spare wheel mounting for security.	X	X	X	X	X	X	X	X
*Drain, refill & bleed brake system. Check brake performance during road test.	Change every 27 months (regardless of km) under normal driving conditions.							
Drain, refill & bleed clutch system.	Change every 27 months (regardless of km).							
Check all brake, fuel lines & hoses for condition, attachment & routing.	X	X	X	X	X	X	X	X
*Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.	X	X	X	X	X	X	X	X
Inspect underbody air deflectors for dirt, mud & obstructions. Clean if necessary.	X	X	X	X	X	X	X	X

Maintenance schedule continued next page.

(1) Rotation of wheels not required at 3,000 km inspection.

*Items requiring additional servicing under some driving conditions.
Refer to *Additional service requirements* further on in this booklet.

MAINTENANCE SCHEDULE cont.

x 1,000 km or	120	135	150	165	180	195	210
Cumulative months (whichever occurs first)	9	9	9	9	9	9	9
Under vehicle							
Replace fuel filter (in-tank type)(petrol).	Not required under normal driving conditions.						
Check final drive oil level.	-	X	-	-	X	-	-
Change final drive oil.	Not required under normal driving conditions.						
*Change auto trans fluid & filter.	-	-	X	-	-	-	-
Check final drive & auto trans for leaks.	X	X	X	X	X	X	X
Check manual transmission for leaks.	X	X	X	X	X	X	X
Inspect front & rear disc pads for wear & discs for surface condition.	X	X	X	X	X	X	X
*Check park brake linings & drums for wear.	-	X	-	-	X	-	-
*Inspect tyres for irregular wear or damage. (1) Rotate wheels (if required). Check air pressures & for wheel damage. Check spare wheel mounting for security.	X	X	X	X	X	X	X
*Drain, refill & bleed brake system. Check brake performance during road test.	Change every 27 months (regardless of km) under normal driving conditions.						
Drain, refill & bleed clutch system.	Change every 27 months (regardless of km).						
Check all brake, fuel lines & hoses for condition, attachment & routing.	X	X	X	X	X	X	X
*Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.	X	X	X	X	X	X	X
Inspect underbody air deflectors for dirt, mud & obstructions. Clean if necessary.	X	X	X	X	X	X	X

(1) Rotation of wheels not required at 3,000 km inspection.

*Items requiring additional servicing under some driving conditions.
Refer to *Additional service requirements* further on in this booklet.

MAINTENANCE SCHEDULE cont.

x 1,000 km or	3	15	30	45	60	75	90	105
Cumulative months (whichever occurs first)	3	9	9	9	9	9	9	9
Under vehicle cont.								
Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.	X	X	X	X	X	X	X	X
Inspect all constant velocity joints for damage or torn boots and propshaft rubber couplings for tears or splits.	X	X	X	X	X	X	X	X
Clean and lubricate auto transmission shift linkage.	X	X	X	X	X	X	X	X
*Visual inspection of carbon canister for leaks or restrictions.	-	-	-	X	-	-	X	-
Inspect rear sunroof drain tubes for blockage, located behind rear wheel arch (sedan only).	X	X	X	X	X	X	X	X
Inspect oil pan shield for damaged, missing or misaligned parts and loose connections.	X	X	X	X	X	X	X	X
Vehicle interior and boot								
*Check park brake operation and adjust as required.	X	X	X	X	X	X	X	X
Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.	X	X	X	X	X	X	X	X
Reset service reminder display.	X	X	X	X	X	X	X	X
Check the expiry date of the tyre sealant canister* and replace if required.	-	X	X	X	X	X	X	X
Check spare wheel retainer torque (LPG)*.	X	X	X	X	X	X	X	X
Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security. Check battery vent hose for attachment to battery & outside of boot (sedan), cargo area (sportwagon) or floor pan (ute). Check battery vent hose is routed correctly & not kinked or restricted.	X	X	X	X	X	X	X	X

Maintenance schedule continued next page.
*Items requiring additional servicing under some driving conditions.
Refer to *Additional service requirements* further on in this booklet.

MAINTENANCE SCHEDULE cont.

x 1,000 km or	120	135	150	165	180	195	210
Cumulative months (whichever occurs first)	9	9	9	9	9	9	9
Under vehicle cont.							
Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.	X	X	X	X	X	X	X
Inspect all constant velocity joints for damage or torn boots and propshaft rubber couplings for tears or splits.	X	X	X	X	X	X	X
Clean and lubricate auto transmission shift linkage.	X	X	X	X	X	X	X
*Visual inspection of carbon canister for leaks or restrictions.	-	X	-	-	X	-	-
Inspect rear sunroof drain tubes for blockage, located behind rear wheel arch (sedan only).	X	X	X	X	X	X	X
Inspect oil pan shield for damaged, missing or misaligned parts and loose connections.	X	X	X	X	X	X	X
Vehicle interior and boot							
*Check park brake operation and adjust as required.	X	X	X	X	X	X	X
Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.	X	X	X	X	X	X	X
Reset service reminder display.	X	X	X	X	X	X	X
Check the expiry date of the tyre sealant canister* and replace if required.	X	X	X	X	X	X	X
Check spare wheel retainer torque (LPG)*.	X	X	X	X	X	X	X
Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security. Check battery vent hose for attachment to battery & outside of boot (sedan), cargo area (sportwagon) or floor pan (ute). Check battery vent hose is routed correctly & not kinked or restricted.	X	X	X	X	X	X	X

*Items requiring additional servicing under some driving conditions.
Refer to *Additional service requirements* further on in this booklet.

MAINTENANCE SCHEDULE cont.

x 1,000 km or	3	15	30	45	60	75	90	105
Cumulative months (whichever occurs first)	3	9	9	9	9	9	9	9
LPG service items								
High pressure leak check of vaporiser and lock-off.	X	X	X	X	X	X	X	X
High pressure leak check of all service line connections.	X	X	X	X	X	X	X	X
High pressure leak check of filler hose and valve.	X	X	X	X	X	X	X	X
High pressure leak check of LPG cylinder connections.	X	X	X	X	X	X	X	X
Replace tar filter.	-	-	X	-	X	-	X	-
Drain vaporiser.	-	-	X	-	X	-	X	-
Check vaporiser heater fuses.	X	X	X	X	X	X	X	X
Inspect all fasteners of the LPG system for correct tension.	X	-	-	-	-	-	-	-
Inspect and pressure test the LPG tank.	Every 10 years (regardless of km).							
Vehicle exterior								
Check operation of all exterior lights.	X	X	X	X	X	X	X	X
Check transmitter range of security system.	X	X	X	X	X	X	X	X
Inspect front sunroof drain tubes for blockage, located in front door opening at the A pillar (sedan only).	X	X	X	X	X	X	X	X
Road test								
Check braking, steering, engine response & transmission operation. Check operation of cruise control. Check park pawl operation. Check air conditioner performance. Check neutral start switch. Check for any outstanding safety recalls.	X	X	X	X	X	X	X	X

Maintenance schedule continued next page.
*Items requiring additional servicing under some driving conditions.
Refer to *Additional service requirements* further on in this booklet.

MAINTENANCE SCHEDULE cont.

x 1,000 km or	120	135	150	165	180	195	210
Cumulative months (whichever occurs first)	9	9	9	9	9	9	9
LPG service items							
High pressure leak check of vaporiser and lock-off.	X	X	X	X	X	X	X
High pressure leak check of all service line connections.	X	X	X	X	X	X	X
High pressure leak check of filler hose and valve.	X	X	X	X	X	X	X
High pressure leak check of LPG cylinder connections.	X	X	X	X	X	X	X
Replace tar filter.	X	-	X	-	X	-	X
Drain vaporiser.	X	-	X	-	X	-	X
Check vaporiser heater fuses.	X	X	X	X	X	X	X
Inspect all fasteners of the LPG system for correct tension.	-	-	-	-	-	-	-
Inspect and pressure test the LPG tank.	Every 10 years (regardless of km).						
Vehicle exterior							
Check operation of all exterior lights.	X	X	X	X	X	X	X
Check transmitter range of security system.	X	X	X	X	X	X	X
Inspect front sunroof drain tubes for blockage, located in front door opening at the A pillar (sedan only).	X	X	X	X	X	X	X
Road test							
Check braking, steering, engine response & transmission operation. Check operation of cruise control. Check park pawl operation. Check air conditioner performance. Check neutral start switch. Check for any outstanding safety recalls.	X	X	X	X	X	X	X

*Items requiring additional servicing under some driving conditions.
Refer to *Additional service requirements* further on in this booklet.

SERVICE CHARGES

Lubricants and materials

The owner is charged for all lubricants and materials used, plus labour, at the times recommended on the service coupons.

Brake fluid

Must be changed every 27 months (charge added for brake fluid and 0.4 hour labour).

Clutch fluid

Must be changed every 27 months (charge added for clutch fluid and 0.2 hour labour).

Engine coolant

Must be changed every 63 months (charge added for engine coolant and 0.4 hour labour).

LPG tank

The LPG tank must be inspected and pressure tested by a licensed LPG cylinder testing station at least every ten years, in accordance with AS2337.2. An additional charge is added for this service.

Fault repairs

The owner is charged for the repair or replacement of any part found faulty during a service check and not covered by Holden Warranty.

Where any deficiencies are noted, such items should be reported to the owner/operator and the extra work authorised.

Additives not recommended

The use of break-in oil, tune-up compounds, friction reducing compounds and other supplemental additives are not recommended; their use not only increases operating costs, but may indeed be harmful to your vehicle.

Pollen filter

A pollen filter is available for this vehicle as a Holden Dealer fitted option.

The charge added for pollen filter replacement is 0.4 hour labour.

ADDITIONAL SERVICE REQUIREMENTS

The Maintenance schedule previously in this booklet, shows the service items for normal driving requirements. Additional service items are required when driving under any of the operating conditions listed below. If you operate the vehicle under any of these conditions on a one off basis, for example a holiday trip, then an additional service should be performed for that time only. The additional service should include all additional service items that apply to the operating conditions.

Operating conditions

A = Dust, dirt, loose road material.

B = Muddy and wet areas.

C= Cold weather (below 5 °C) and when most trips are less than 5 km.

D= Stop-start driving, excessive idling or low speed operation as experienced in inner city driving, for example taxi or door-to-door delivery, police.

E= Caravan or trailer towing.

F= Extended heavy load, high speed operation in outside temperatures above 35 °C.

Extra services required

Change automatic transmission fluid and filter every 75,000 km				D	E	F
Inspect front suspension and steering for leaks, wear or damage every 7,500 km	A	B				
Change engine oil every 7,500 km	A		C	D	E	F
Replace engine oil filter every 7,500 km	A					
Replace air filter element every 15,000 km	A					
Inspect and clean park brake linings every 15,000 km	A	B				
Change brake fluid every 12 months if towing 1,600 kg (or higher)*					E	
Change power steering fluid every 60,000 km					E	F
Visual inspection of carbon canister every 15,000 km	A	B				
Replace #pollen filter* every 15,000 km (Holden Dealer fitted option only)	A					

*Brake fluid deteriorates with time and should normally be replaced every 27 months. However, heavy duty towing requires fresher fluid due to the higher demand on the brake system. Therefore, brake fluid should be replaced every 12 months if towing 1,600 kg (or higher), so that the brake system can cope with the next year's towing requirements.

#The pollen filter is a Holden Dealer fitted option only.

ADDITIONAL SERVICE REQUIREMENTS cont.

Additional service charges

- Under vehicle/safety check ..... 0.4 hour
  - Inspect front and rear disc pads for wear.
  - Check all brake, fuel lines and hoses for condition, attachment and routing.
  - Inspect front and rear suspension and steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment, routing and leaks. Check condition of all rubber boots and covers.
  - Inspect all constant velocity joints for damage or torn boots and propshaft rubber couplings for tears and splits.
- If the automatic transmission fluid and filter/strainer are changed ..... add 0.5 hour
- If engine oil is changed ..... add 0.2 hour
- If engine oil and filter are changed ..... add 0.3 hour
- If air filter element is changed ..... add 0.2 hour
- If park brake linings are cleaned and inspected ..... add 0.7 hour
- If brake fluid is changed ..... add 0.4 hour
- If power steering fluid is changed ..... add 0.4 hour
- If tyres are rotated ..... add 0.2 hour
- If tyres are rotated and balanced (4 tyres)..... add 0.7 hour
- If the carbon canister is visually inspected ..... add 0.2 hour
- If the #pollen filter* is changed ..... add 0.4 hour

Further servicing required?

As a guide, if you operate your vehicle continually for a period of one month or 1,000 km under any of the conditions listed, then additional services are recommended. If you consider that further servicing may be required, consult the service manager or your Holden Dealer.

#The pollen filter is a Holden Dealer fitted option only.

ADDITIONAL SERVICE REQUIREMENTS cont.

Additional service coupons

These coupons are for recording additional servicing. There are more coupons on the following pages.

Date.....km..... Servicing Dealer.....

Items performed .....

.....

Date.....km..... Servicing Dealer.....

Items performed .....

.....

Date.....km..... Servicing Dealer.....

Items performed .....

.....

Date.....km..... Servicing Dealer.....

Items performed .....

.....

Date.....km..... Servicing Dealer.....

Items performed .....

.....

Date.....km..... Servicing Dealer.....

Items performed .....

.....

Date.....km..... Servicing Dealer.....

Items performed .....

.....

ADDITIONAL SERVICE REQUIREMENTS cont.

Date .....km..... Servicing Dealer.....
Items performed .....
.....

Date .....km..... Servicing Dealer.....
Items performed .....
.....

Date .....km..... Servicing Dealer.....
Items performed .....
.....

Date .....km..... Servicing Dealer.....
Items performed .....
.....

Date .....km..... Servicing Dealer.....
Items performed .....
.....

Date .....km..... Servicing Dealer.....
Items performed .....
.....

Date .....km..... Servicing Dealer.....
Items performed .....
.....

Date .....km..... Servicing Dealer.....
Items performed .....
.....

ADDITIONAL SERVICE REQUIREMENTS cont.

Date .....km..... Servicing Dealer.....
Items performed .....
.....

Date .....km..... Servicing Dealer.....
Items performed .....
.....

Date .....km..... Servicing Dealer.....
Items performed .....
.....

Date .....km..... Servicing Dealer.....
Items performed .....
.....

Date .....km..... Servicing Dealer.....
Items performed .....
.....

Date .....km..... Servicing Dealer.....
Items performed .....
.....

Date .....km..... Servicing Dealer.....
Items performed .....
.....

Date .....km..... Servicing Dealer.....
Items performed .....
.....

NOTES

3,000 km / 3 months free inspection validation

This vehicle has been thoroughly checked in accordance with the 3,000 km / 3 month free inspection.

Dealer .....

Service Manager's signature .....

Date ..... Odometer reading .....

FREE INSPECTION COUPON
3,000 km or 3 months

This coupon should not be removed until the vehicle is presented for service.

Owner's name

Mr Mrs Miss Other .....

Address .....

Town .....

State ..... Postcode .....

Registration ..... Engine no. .....

ISOVIN ..... Model .....

Selling Dealer's stamp and signature

.....

Date of acquisition .....

This vehicle has been thoroughly checked in accordance with the schedule on the reverse side of this coupon.

Servicing Dealer's stamp and signature

.....

Servicing Dealer .....

Town ..... State .....

Owner's signature .....

This inspection is provided free of charge.

Under bonnet

- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Check for signs of deterioration and/or leaks from engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Check final drive & automatic transmission for leaks.

Under vehicle

- ❑ Check manual transmission for leaks.
- ❑ Inspect tyres for irregular wear & damage. Check air pressures & for wheel damage. Check spare wheel mounting for security.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots & propshaft rubber couplings for tears or splits.
- ❑ Clean & lubricate automatic transmission shift linkage.
- ❑ Inspect rear sunroof drain tubes for blockage, located behind rear wheel arch (sedan only).
- ❑ Inspect oil pan shield for damaged, missing or misaligned parts & loose connections.
- ❑ Inspect underbody air deflectors for dirt, mud & obstructions. Clean if necessary.

Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Reset service reminder display.
- ❑ Check spare wheel retainer torque (LPG)*.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security. Check battery vent hose for attachment to battery & outside of boot (sedan), cargo area (sportwagon) or floor pan (ute). Check battery vent hose is routed correctly & not kinked or restricted.

LPG service items

- ❑ High pressure leak check of vaporiser & lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose & valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Inspect all fasteners of the LPG system for correct tension.
- ❑ Check vaporiser heater fuses.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Check transmitter range of security system.
- ❑ Inspect front sunroof drain tubes for blockage, located in front door opening at the A pillar (sedan only).

Road test

- ❑ Check braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 15,000 km or 9 months

- 1.2 hours labour (petrol)
- 1.6 hours labour (LPG)
- engine oil and filter change

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Change engine oil & filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Inspect air filter element.

Under vehicle

- ❑ Check final drive & automatic transmission for leaks.
- ❑ Check manual transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear & damage. Rotate wheels (if required). Check air pressures & for wheel damage. Check spare wheel mounting for security.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots & propshaft rubber couplings for tears & splits.
- ❑ Clean & lubricate automatic transmission shift linkage.
- ❑ Inspect rear sunroof drain tubes for blockage, located behind rear wheel arch (sedan only).
- ❑ Inspect oil pan shield for damaged, missing or misaligned parts & loose connections.
- ❑ Inspect underbody air deflectors for dirt, mud & obstructions. Clean if necessary.

Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Reset service reminder display.
- ❑ Check expiry date of the tyre sealant canister* & replace if required.

Service validation 15,000 kms or 9 months

This vehicle has been thoroughly checked in accordance with the 15,000 km/9 month service.

Servicing Dealer .....

Date of service.....Odometer .....

Signed .....

HOLDEN DEALER STAMP

Vehicle interior and boot continued

- ❑ Check spare wheel retainer torque (LPG)*.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security. Check battery vent hose for attachment to battery & outside of boot (sedan), cargo area (sportwagon) or floor pan (ute). Check battery vent hose is routed correctly & not kinked or restricted.

LPG service items

- ❑ High pressure leak check of vaporiser & lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose & valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check vaporiser heater fuses.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Check transmitter range of security system.
- ❑ Inspect front sunroof drain tubes for blockage, located in front door opening at the A pillar (sedan only).

Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 30,000 km or 9 months

from the last service (whichever occurs first)

- 1.2 hours labour (petrol)
- 1.6 hours labour (LPG)
- engine oil and filter change

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Change engine oil & filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Inspect air filter element.

Under vehicle

- ❑ Check final drive & automatic transmission for leaks.
- ❑ Check manual transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear & damage. Rotate wheels (if required). Check air pressures & for wheel damage. Check spare wheel mounting for security.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots & propshaft rubber couplings for tears & splits.
- ❑ Clean & lubricate automatic transmission shift linkage.
- ❑ Inspect rear sunroof drain tubes for blockage, located behind rear wheel arch (sedan only).
- ❑ Inspect oil pan shield for damaged, missing or misaligned parts & loose connections.
- ❑ Inspect underbody air deflectors for dirt, mud & obstructions. Clean if necessary.

HOLDEN DEALER STAMP

Service validation
30,000 kms or
9 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 30,000 km/9 month service.

Servicing Dealer .....

Date of service.....Odometer .....

Signed .....

Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Reset service reminder display.
- ❑ Check expiry date of the tyre sealant canister* & replace if required.
- ❑ Check spare wheel retainer torque (LPG)*.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security. Check battery vent hose for attachment to battery & outside of boot (sedan), cargo area (sportwagon) or floor pan (ute). Check battery vent hose is routed correctly & not kinked or restricted.

LPG service items

- ❑ High pressure leak check of vaporiser & lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose & valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Replace tar filter.
- ❑ Drain vaporiser.
- ❑ Check vaporiser heater fuses.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Check transmitter range of security system.
- ❑ Inspect front sunroof drain tubes for blockage, located in front door opening at the A pillar (sedan only).

Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 45,000 km or 9 months

from the last service (whichever occurs first)

- 1.7 hours labour (petrol)
- 2.1 hours labour (LPG)
- engine oil and filter change
- replace air filter element
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.2 hour labour plus clutch fluid

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Change engine oil & filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Replace air filter element.
- ❑ Brake fluid: Change every 27 months (regardless of km).
- ❑ Clutch fluid: Change every 27 months (regardless of km).

Under vehicle

- ❑ Check final drive oil level.
- ❑ Check final drive & automatic transmission for leaks.
- ❑ Check manual transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Check park brake linings & drums for wear.
- ❑ Inspect tyres for irregular wear & damage. Rotate wheels (if required). Check air pressures & for wheel damage. Check spare wheel mounting for security.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots & propshaft rubber couplings for tears & splits.
- ❑ Clean & lubricate automatic transmission shift linkage.
- ❑ Visual inspection of carbon canister for leaks or restrictions.

HOLDEN DEALER STAMP

Service validation
45,000 kms or
9 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 45,000 km/9 month service.

Servicing Dealer.....

Brake fluid changed: YES/NO

Clutch fluid changed: YES/NO/ N/A (not applicable)

Date of service.....Odometer .....

Signed.....

Under vehicle continued

- ❑ Inspect rear sunroof drain tubes for blockage, located behind rear wheel arch (sedan only).
- ❑ Inspect oil pan shield for damaged, missing or misaligned parts & loose connections.
- ❑ Inspect underbody air deflectors for dirt, mud & obstructions. Clean if necessary.

Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Reset service reminder display.
- ❑ Check expiry date of the tyre sealant canister* & replace if required.
- ❑ Check spare wheel retainer torque (LPG)*.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security. Check battery vent hose for attachment to battery & outside of boot (sedan), cargo area (sportwagon) or floor pan (ute). Check battery vent hose is routed correctly & not kinked or restricted.

LPG service items

- ❑ High pressure leak check of vaporiser & lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose & valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check vaporiser heater fuses.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Check transmitter range of security system.
- ❑ Inspect front sunroof drain tubes for blockage, located in front door opening at the A pillar (sedan only).

Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 60,000 km or 9 months

from the last service (whichever occurs first)

- 1.2 hours labour (petrol)
- 1.6 hours labour (LPG)
- engine oil and filter change
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Change engine oil & filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Inspect air filter element.
- ❑ Brake fluid: Change every 27 months (regardless of km).
- ❑ Clutch fluid: Change every 27 months (regardless of km).

Under vehicle

- ❑ Check final drive & automatic transmission for leaks.
- ❑ Check manual transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear & damage. Rotate wheels (if required). Check air pressures & for wheel damage. Check spare wheel mounting for security.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots & propshaft rubber couplings for tears & splits.
- ❑ Clean & lubricate automatic transmission shift linkage.
- ❑ Inspect rear sunroof drain tubes for blockage, located behind rear wheel arch (sedan only).
- ❑ Inspect oil pan shield for damaged, missing or misaligned parts & loose connections.
- ❑ Inspect underbody air deflectors for dirt, mud & obstructions. Clean if necessary.

HOLDEN DEALER STAMP

Service validation
60,000 kms or
9 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 60,000 km/9 month service.

Servicing Dealer .....

Brake fluid changed: YES/NO

Clutch fluid changed: YES/NO/ N/A (not applicable)

Date of service.....Odometer .....

Signed .....

Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Reset service reminder display.
- ❑ Check expiry date of the tyre sealant canister* & replace if required.
- ❑ Check spare wheel retainer torque (LPG)*.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security. Check battery vent hose for attachment to battery & outside of boot (sedan), cargo area (sportwagon) or floor pan (ute). Check battery vent hose is routed correctly & not kinked or restricted.

LPG service items

- ❑ High pressure leak check of vaporiser & lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose & valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Replace tar filter.
- ❑ Drain vaporiser.
- ❑ Check vaporiser heater fuses.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Check transmitter range of security system.
- ❑ Inspect front sunroof drain tubes for blockage, located in front door opening at the A pillar (sedan only).

Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 75,000 km or 9 months

from the last service (whichever occurs first)

- 1.2 hours labour (petrol)
- 1.6 hours labour (LPG)
- engine oil and filter change
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Change engine oil & filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Inspect air filter element.
- ❑ Brake fluid: Change every 27 months (regardless of km).
- ❑ Clutch fluid: Change every 27 months (regardless of km).

Under vehicle

- ❑ Check final drive & automatic transmission for leaks.
- ❑ Check manual transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear & damage. Rotate wheels (if required). Check air pressures & for wheel damage. Check spare wheel mounting for security.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots & propshaft rubber couplings for tears & splits.
- ❑ Clean & lubricate automatic transmission shift linkage.
- ❑ Inspect rear sunroof drain tubes for blockage, located behind rear wheel arch (sedan only).
- ❑ Inspect oil pan shield for damaged, missing or misaligned parts & loose connections.
- ❑ Inspect underbody air deflectors for dirt, mud & obstructions. Clean if necessary.

HOLDEN DEALER STAMP

Service validation
75,000 kms or
9 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 75,000 km/9 month service.

Servicing Dealer .....

Brake fluid changed: YES/NO

Clutch fluid changed: YES/NO/ N/A (not applicable)

Date of service.....Odometer .....

Signed .....

Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Reset service reminder display.
- ❑ Check expiry date of the tyre sealant canister* & replace if required.
- ❑ Check spare wheel retainer torque (LPG)*.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security. Check battery vent hose for attachment to battery & outside of boot (sedan), cargo area (sportwagon) or floor pan (ute). Check battery vent hose is routed correctly & not kinked or restricted.

LPG service items

- ❑ High pressure leak check of vaporiser & lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose & valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check vaporiser heater fuses.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Check transmitter range of security system.
- ❑ Inspect front sunroof drain tubes for blockage, located in front door opening at the A pillar (sedan only).

Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 90,000 km or 9 months

from the last service (whichever occurs first)

- 1.7 hours labour (petrol)
- 2.1 hours labour (LPG)
- engine oil and filter change
- replace air filter element
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Change engine oil & filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Replace air filter element.
- ❑ Brake fluid: Change every 27 months (regardless of km).
- ❑ Clutch fluid: Change every 27 months (regardless of km).

Under vehicle

- ❑ Check final drive oil level.
- ❑ Check final drive & automatic transmission for leaks.
- ❑ Check manual transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Check park brake linings & drums for wear.
- ❑ Inspect tyres for irregular wear & damage. Rotate wheels (if required). Check air pressures & for wheel damage. Check spare wheel mounting for security.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots & propshaft rubber couplings for tears & splits.
- ❑ Clean & lubricate automatic transmission shift linkage.
- ❑ Visual inspection of carbon canister for leaks or restrictions.
- ❑ Inspect rear sunroof drain tubes for blockage, located behind rear wheel arch (sedan only).
- ❑ Inspect oil pan shield for damaged, missing or misaligned parts & loose connections.
- ❑ Inspect underbody air deflectors for dirt, mud & obstructions. Clean if necessary.

HOLDEN DEALER STAMP

Service validation
90,000 kms or
9 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 90,000 km/9 month service.

Servicing Dealer.....

Brake fluid changed: YES/NO

Clutch fluid changed: YES/NO/ N/A (not applicable)

Date of service.....Odometer .....

Signed .....

Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Reset service reminder display.
- ❑ Check expiry date of the tyre sealant canister* & replace if required.
- ❑ Check spare wheel retainer torque (LPG)*.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security. Check battery vent hose for attachment to battery & outside of boot (sedan), cargo area (sportwagon) or floor pan (ute). Check battery vent hose is routed correctly & not kinked or restricted.

LPG service items

- ❑ High pressure leak check of vaporiser & lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose & valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Replace tar filter.
- ❑ Drain vaporiser.
- ❑ Check vaporiser heater fuses.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Check transmitter range of security system.
- ❑ Inspect front sunroof drain tubes for blockage, located in front door opening at the A pillar (sedan only).

Road test

- ❑ Check braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 105,000 km or 9 months

from the last service (whichever occurs first)

- 1.2 hours labour (petrol)
- 1.6 hours labour (LPG)
- engine oil and filter change
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Change engine oil & filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Inspect air filter element.
- ❑ Brake fluid: Change every 27 months (regardless of km).
- ❑ Clutch fluid: Change every 27 months (regardless of km).
- ❑ Coolant: Change every 63 months (regardless of km).

Under vehicle

- ❑ Check final drive & automatic transmission for leaks.
- ❑ Check manual transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear & damage. Rotate wheels (if required). Check air pressures & for wheel damage. Check spare wheel mounting for security.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots & propshaft rubber couplings for tears & splits.
- ❑ Clean & lubricate automatic transmission shift linkage.
- ❑ Inspect rear sunroof drain tubes for blockage, located behind rear wheel arch (sedan only).
- ❑ Inspect oil pan shield for damaged, missing or misaligned parts & loose connections.
- ❑ Inspect underbody air deflectors for dirt, mud & obstructions. Clean if necessary.

HOLDEN DEALER STAMP

Service validation
105,000 kms or
9 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 105,000 km/9 month service.

Servicing Dealer .....

Brake fluid changed: YES/NO Coolant changed: YES/NO

Clutch fluid changed: YES/NO/ N/A (not applicable)

Date of service.....Odometer .....

Signed .....

Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Reset service reminder display.
- ❑ Check expiry date of the tyre sealant canister* & replace if required.
- ❑ Check spare wheel retainer torque (LPG)*.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security. Check battery vent hose for attachment to battery & outside of boot (sedan), cargo area (sportwagon) or floor pan (ute). Check battery vent hose is routed correctly & not kinked or restricted.

LPG service items

- ❑ High pressure leak check of vaporiser & lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose & valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check vaporiser heater fuses.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Check transmitter range of security system.
- ❑ Inspect front sunroof drain tubes for blockage, located in front door opening at the A pillar (sedan only).

Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 120,000 km or 9 months

from the last service (whichever occurs first)

- 1.2 hours labour (petrol)
- 2.0 hours labour (LPG)
- add 0.7 hour for V6 engine
- engine oil and filter change
- replace spark plugs for V6 engine
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Change engine oil & filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Inspect air filter element.
- ❑ Replace spark plugs V6.
- ❑ Brake fluid: Change every 27 months (regardless of km).
- ❑ Clutch fluid: Change every 27 months (regardless of km).
- ❑ Coolant: Change every 63 months (regardless of km).

Under vehicle

- ❑ Check final drive & automatic transmission for leaks.
- ❑ Check manual transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear & damage. Rotate wheels (if required). Check air pressures & for wheel damage. Check spare wheel mounting for security.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots & propshaft rubber couplings for tears & splits.
- ❑ Clean & lubricate automatic transmission shift linkage.
- ❑ Inspect rear sunroof drain tubes for blockage, located behind rear wheel arch (sedan only).

HOLDEN DEALER STAMP

Service validation
120,000 kms or
9 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 120,000 km/9 month service.

Servicing Dealer.....

Brake fluid changed: YES/NO Coolant changed: YES/NO

Clutch fluid changed: YES/NO/ N/A (not applicable)

Date of service.....Odometer .....

Signed .....

Under vehicle continued

- ❑ Inspect oil pan shield for damaged, missing or misaligned parts & loose connections.
- ❑ Inspect underbody air deflectors for dirt, mud & obstructions. Clean if necessary.

Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Reset service reminder display.
- ❑ Check expiry date of the tyre sealant canister* & replace if required.
- ❑ Check spare wheel retainer torque (LPG)*.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security. Check battery vent hose for attachment to battery & outside of boot (sedan), cargo area (sportwagon) or floor pan (ute). Check battery vent hose is routed correctly & not kinked or restricted.

LPG service items

- ❑ High pressure leak check of vaporiser & lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose & valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Replace tar filter.
- ❑ Drain vaporiser.
- ❑ Check vaporiser heater fuses.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Check transmitter range of security system.
- ❑ Inspect front sunroof drain tubes for blockage, located in front door opening at the A pillar (sedan only).

Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 135,000 km or 9 months

from the last service (whichever occurs first)

- 1.7 hours labour (petrol)
- 2.1 hours labour (LPG)
- engine oil and filter change
- replace air filter element
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Change engine oil & filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Replace air filter element.
- ❑ Brake fluid: Change every 27 months (regardless of km).
- ❑ Clutch fluid: Change every 27 months (regardless of km).
- ❑ Coolant: Change every 63 months (regardless of km).

Under vehicle

- ❑ Check final drive oil level.
- ❑ Check final drive & automatic transmission for leaks.
- ❑ Check manual transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Check park brake linings & drums for wear.
- ❑ Inspect tyres for irregular wear & damage. Rotate wheels (if required). Check air pressures & for wheel damage. Check spare wheel mounting for security.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots & propshaft rubber couplings for tears & splits.
- ❑ Clean & lubricate automatic transmission shift linkage.
- ❑ Visual inspection of carbon canister for leaks or restrictions.
- ❑ Inspect rear sunroof drain tubes for blockage, located behind rear wheel arch (sedan only).

HOLDEN DEALER STAMP

Service validation
135,000 kms or
9 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 135,000 km/9 month service.

Servicing Dealer.....

Brake fluid changed: YES/NO Coolant changed: YES/NO

Clutch fluid changed: YES/NO/ N/A (not applicable)

Date of service.....Odometer .....

Signed .....

Under vehicle continued

- ❑ Inspect oil pan shield for damaged, missing or misaligned parts & loose connections.
- ❑ Inspect underbody air deflectors for dirt, mud & obstructions. Clean if necessary.

Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Reset service reminder display.
- ❑ Check expiry date of the tyre sealant canister* & replace if required.
- ❑ Check spare wheel retainer torque (LPG)*.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security. Check battery vent hose for attachment to battery & outside of boot (sedan), cargo area (sportwagon) or floor pan (ute). Check battery vent hose is routed correctly & not kinked or restricted.

LPG service items

- ❑ High pressure leak check of vaporiser & lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose & valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check vaporiser heater fuses.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Check transmitter range of security system.
- ❑ Inspect front sunroof drain tubes for blockage, located in front door opening at the A pillar (sedan only).

Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 150,000 km or 9 months

from the last service (whichever occurs first)

- 1.2 hours labour (petrol)
- 1.6 hours labour (LPG)
- add 0.5 hour for V8 engine
- add 0.5 hour for automatic transmission fluid and filter change
- engine oil and filter change
- replace spark plugs for V8 engine
- automatic transmission fluid and filter/strainer change
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Change engine oil & filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Replace spark plugs V8
- ❑ Inspect air filter element.
- ❑ Brake fluid: Change every 27 months (regardless of km).
- ❑ Clutch fluid: Change every 27 months (regardless of km).
- ❑ Coolant: Change every 63 months (regardless of km).

Under vehicle

- ❑ Change automatic transmission fluid & filter/strainer.
- ❑ Check final drive & automatic transmission for leaks.
- ❑ Check manual transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear & damage. Rotate wheels (if required). Check air pressures & for wheel damage. Check spare wheel mounting for security.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots & propshaft rubber couplings for tears & splits.

HOLDEN DEALER STAMP

Service validation
150,000 kms or
9 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 150,000 km/9 month service.

Servicing Dealer.....

Brake fluid changed: YES/NO Coolant changed: YES/NO

Clutch fluid changed: YES/NO/ N/A (not applicable)

Date of service.....Odometer .....

Signed .....

Under vehicle continued

- ❑ Clean & lubricate automatic transmission shift linkage.
- ❑ Inspect rear sunroof drain tubes for blockage, located behind rear wheel arch (sedan only).
- ❑ Inspect oil pan shield for damaged, missing or misaligned parts & loose connections.
- ❑ Inspect underbody air deflectors for dirt, mud & obstructions. Clean if necessary.

Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Reset service reminder display.
- ❑ Check expiry date of the tyre sealant canister* & replace if required.
- ❑ Check spare wheel retainer torque (LPG)*.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security. Check battery vent hose for attachment to battery & outside of boot (sedan), cargo area (sportwagon) or floor pan (ute). Check battery vent hose is routed correctly & not kinked or restricted.

LPG service items

- ❑ High pressure leak check of vaporiser & lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose & valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Replace tar filter.
- ❑ Drain vaporiser.
- ❑ Check vaporiser heater fuses.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Check transmitter range of security system.
- ❑ Inspect front sunroof drain tubes for blockage, located in front door opening at the A pillar (sedan only).

Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 165,000 km or 9 months

from the last service (whichever occurs first)

- 1.2 hours labour (petrol)
- 1.6 hours labour (LPG)
- engine oil and filter change
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Change engine oil & filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Drive belts – inspect.
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Inspect air filter element.
- ❑ Brake fluid: Change every 27 months (regardless of km).
- ❑ Clutch fluid: Change every 27 months (regardless of km).
- ❑ Coolant: Change every 63 months (regardless of km).

Under vehicle

- ❑ Check final drive & automatic transmission for leaks.
- ❑ Check manual transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear & damage. Rotate wheels (if required). Check air pressures & for wheel damage. Check spare wheel mounting for security.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots & propshaft rubber couplings for tears & splits.
- ❑ Clean & lubricate automatic transmission shift linkage.
- ❑ Inspect rear sunroof drain tubes for blockage, located behind rear wheel arch (sedan only).
- ❑ Inspect oil pan shield for damaged, missing or misaligned parts & loose connections.
- ❑ Inspect underbody air deflectors for dirt, mud & obstructions. Clean if necessary.

HOLDEN DEALER STAMP

Service validation
165,000 kms or
9 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 165,000 km/9 month service.

Servicing Dealer .....

Brake fluid changed: YES/NO Coolant changed: YES/NO

Clutch fluid changed: YES/NO/ N/A (not applicable)

Date of service.....Odometer .....

Signed .....

Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Reset service reminder display.
- ❑ Check expiry date of the tyre sealant canister* & replace if required.
- ❑ Check spare wheel retainer torque (LPG)*.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security. Check battery vent hose for attachment to battery & outside of boot (sedan), cargo area (sportwagon) or floor pan (ute). Check battery vent hose is routed correctly & not kinked or restricted.

LPG service items

- ❑ High pressure leak check of vaporiser & lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose & valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check vaporiser heater fuses.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Check transmitter range of security system.
- ❑ Inspect front sunroof drain tubes for blockage, located in front door opening at the A pillar (sedan only).

Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 180,000 km or 9 months

from the last service (whichever occurs first)

- 1.7 hours labour (petrol)
- 2.1 hours labour (LPG)
- engine oil and filter change
- replace air filter element
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Change engine oil & filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Drive belts – inspect.
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Replace air filter element.
- ❑ Brake fluid: Change every 27 months (regardless of km).
- ❑ Clutch fluid: Change every 27 months (regardless of km).
- ❑ Coolant: Change every 63 months (regardless of km).

Under vehicle

- ❑ Check final drive oil level.
- ❑ Check final drive & automatic transmission for leaks.
- ❑ Check manual transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Check park brake linings & drums for wear.
- ❑ Inspect tyres for irregular wear & damage. Rotate wheels (if required). Check air pressures & for wheel damage. Check spare wheel mounting for security.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots & propshaft rubber couplings for tears & splits.
- ❑ Clean & lubricate automatic transmission shift linkage.
- ❑ Visual inspection of carbon canister for leaks or restrictions.

HOLDEN DEALER STAMP

Service validation
180,000 kms or
9 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 180,000 km/9 month service.

Servicing Dealer .....

Brake fluid changed: YES/NO Coolant changed: YES/NO

Clutch fluid changed: YES/NO/ N/A (not applicable)

Date of service.....Odometer .....

Signed .....

Under vehicle continued

- ❑ Inspect rear sunroof drain tubes for blockage, located behind rear wheel arch (sedan only).
- ❑ Inspect oil pan shield for damaged, missing or misaligned parts & loose connections.
- ❑ Inspect underbody air deflectors for dirt, mud & obstructions. Clean if necessary.

Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Reset service reminder display.
- ❑ Check expiry date of the tyre sealant canister* & replace if required.
- ❑ Check spare wheel retainer torque (LPG)*.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security. Check battery vent hose for attachment to battery & outside of boot (sedan), cargo area (sportwagon) or floor pan (ute). Check battery vent hose is routed correctly & not kinked or restricted.

LPG service items

- ❑ High pressure leak check of vaporiser & lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose & valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Replace tar filter.
- ❑ Drain vaporiser.
- ❑ Check vaporiser heater fuses.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Check transmitter range of security system.
- ❑ Inspect front sunroof drain tubes for blockage, located in front door opening at the A pillar (sedan only).

Road test

- ❑ Check braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 195,000 km or 9 months

from the last service (whichever occurs first)

- 1.2 hours labour (petrol)
- 1.6 hours labour (LPG)
- engine oil and filter change
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Change engine oil & filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Drive belts – inspect.
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Inspect air filter element.
- ❑ Brake fluid: Change every 27 months (regardless of km).
- ❑ Clutch fluid: Change every 27 months (regardless of km).
- ❑ Coolant: Change every 63 months (regardless of km).

Under vehicle

- ❑ Check final drive & automatic transmission for leaks.
- ❑ Check manual transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear & damage. Rotate wheels (if required). Check air pressures & for wheel damage. Check spare wheel mounting for security.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots & propshaft rubber couplings for tears & splits.
- ❑ Clean & lubricate automatic transmission shift linkage.
- ❑ Inspect rear sunroof drain tubes for blockage, located behind rear wheel arch (sedan only).
- ❑ Inspect oil pan shield for damaged, missing or misaligned parts & loose connections.
- ❑ Inspect underbody air deflectors for dirt, mud & obstructions. Clean if necessary.

HOLDEN DEALER STAMP

Service validation
195,000 kms or
9 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 195,000 km/9 month service.

Servicing Dealer .....

Brake fluid changed: YES/NO Coolant changed: YES/NO

Clutch fluid changed: YES/NO/ N/A (not applicable)

Date of service.....Odometer .....

Signed .....

Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Reset service reminder display.
- ❑ Check expiry date of the tyre sealant canister* & replace if required.
- ❑ Check spare wheel retainer torque (LPG)*.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security. Check battery vent hose for attachment to battery & outside of boot (sedan), cargo area (sportwagon) or floor pan (ute). Check battery vent hose is routed correctly & not kinked or restricted.

LPG service items

- ❑ High pressure leak check of vaporiser & lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose & valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Check vaporiser heater fuses.
- ❑ LPG tank: Inspect & pressure test every 10 years (regardless of km).

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Check transmitter range of security system.
- ❑ Inspect front sunroof drain tubes for blockage, located in front door opening at the A pillar (sedan only).

Road test

- ❑ Check for braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.

SERVICE COUPON 210,000 km or 9 months

from the last service (whichever occurs first)

- 1.2 hours labour (petrol)
- 1.6 hours labour (LPG)
- engine oil and filter change
- if brake fluid changed add 0.4 hour plus brake fluid
- if clutch fluid changed add 0.2 hour plus clutch fluid
- if engine coolant changed add 0.4 hour plus coolant

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

Under bonnet

- ❑ Change engine oil & filter.
- ❑ Check fluid levels: brake, power steering, clutch, automatic transmission & washer. Check coolant % with tester & check level (pressure test if level low).
- ❑ Drive belts – inspect.
- ❑ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.
- ❑ Inspect air filter element.
- ❑ Brake fluid: Change every 27 months (regardless of km).
- ❑ Clutch fluid: Change every 27 months (regardless of km).
- ❑ Coolant: Change every 63 months (regardless of km).

Under vehicle

- ❑ Check final drive & automatic transmission for leaks.
- ❑ Check manual transmission for leaks.
- ❑ Inspect front & rear disc pads for wear & discs for surface condition.
- ❑ Inspect tyres for irregular wear & damage. Rotate wheels (if required). Check air pressures & for wheel damage. Check spare wheel mounting for security.
- ❑ Check all brake, fuel lines & hoses for condition, attachment & routing.
- ❑ Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.
- ❑ Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots & propshaft rubber couplings for tears & splits.
- ❑ Clean & lubricate automatic transmission shift linkage.
- ❑ Inspect rear sunroof drain tubes for blockage, located behind rear wheel arch (sedan only).
- ❑ Inspect oil pan shield for damaged, missing or misaligned parts & loose connections.
- ❑ Inspect underbody air deflectors for dirt, mud & obstructions. Clean if necessary.

HOLDEN DEALER STAMP

Service validation
210,000 kms or
9 months
Since last service
(which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 210,000 km/9 month service.

Servicing Dealer .....

Brake fluid changed: YES/NO Coolant changed: YES/NO

Clutch fluid changed: YES/NO/ N/A (not applicable)

Date of service..... Odometer .....

Signed .....

Vehicle interior and boot

- ❑ Check park brake operation & adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.
- ❑ Reset service reminder display.
- ❑ Check the expiry date of the tyre sealant canister* & replace if required.
- ❑ Check spare wheel retainer torque (LPG)*.
- ❑ Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security. Check battery vent hose for attachment to battery & outside of boot (sedan), cargo area (sportwagon) or floor pan (ute). Check battery vent hose is routed correctly & not kinked or restricted.

LPG service items

- ❑ High pressure leak check of vaporiser & lock-off.
- ❑ High pressure leak check of all service line connections.
- ❑ High pressure leak check of filler hose & valve.
- ❑ High pressure leak check of LPG cylinder connections.
- ❑ Replace tar filter.
- ❑ Drain vaporiser.
- ❑ Check vaporiser heater fuses.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Check transmitter range of security system.
- ❑ Inspect front sunroof drain tubes for blockage, located in front door opening at the A pillar (sedan only).

Road test

- ❑ Check braking, steering, engine response & transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for any outstanding safety recalls.